

10/04/00

J-912 U.S. PTO

10-05-00

A

Please type a plus sign (+) inside this box → ☒

PTO/SB/05 (4/96)

Approved for use through 09/30/2000. OMB 0851-0032

Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UTILITY PATENT APPLICATION TRANSMITTAL (Only for new nonprovisional applications under 37 C.F.R. § 1.53(b))	Attorney Docket No.	COREMET-002
	First Inventor or Application Identifier	Keith Henning
	Title	DATA ACCUMULATION AND SEGMENTATION SYSTEM IN ELECTRONIC COMMERCE
	Express Mail Label No.	EJ765461629US

APPLICATION ELEMENTS See MPEP chapter 600 concerning utility patent application contents.	ADDRESS TO: Assistant Commissioner for Patents Box Patent Application Washington, DC 20231
1. <input checked="" type="checkbox"/> * Fee Transmittal Form (e.g., PTO/SB/17) (Submit an original and a duplicate for fee processing)	5. <input type="checkbox"/> Microfilm Computer Program (Appendix)
2. <input checked="" type="checkbox"/> Specification [Total Pages 57] (preferred arrangement set forth below)	6. Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
- Descriptive title of the Invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to Microfilm Appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings (if filed) - Detailed Description - Claim(s) - Abstract of the Disclosure	a. <input type="checkbox"/> Computer Readable Copy b. <input type="checkbox"/> Paper Copy (identical to computer copy) c. <input type="checkbox"/> Statement verifying identity of above copies
3. <input checked="" type="checkbox"/> Drawing(s) (35 U.S.C. 113) [Total Sheets 16]	ACCOMPANYING APPLICATION PARTS
4. Oath or Declaration [Total Pages 3]	7. <input checked="" type="checkbox"/> Assignment Papers (cover sheet & document(s))
a. <input checked="" type="checkbox"/> Newly executed (original or copy)	8. <input type="checkbox"/> 37 C.F.R. § 3.73(b) Statement (when there is an assignee) <input checked="" type="checkbox"/> Power of Attorney
b. <input type="checkbox"/> Copy from a prior application (37 C.F.R. § 1.63(d)) (for continuation/divisional with Box 16 completed)	9. English Translation Document (if applicable)
i. <input type="checkbox"/> DELETION OF INVENTOR(S) Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. §§ 1.63(d)(2) and 1.33(b).	10. Information Disclosure Statement (IDS)/PTO-1449 <input type="checkbox"/> Copies of IDS Citations
NOTE FOR ITEMS 1 & 13: IN ORDER TO BE ENTITLED TO PAY SMALL ENTITY FEES, A SMALL ENTITY STATEMENT IS REQUIRED (37 C.F.R. § 1.27), EXCEPT IF ONE FILED IN A PRIOR APPLICATION IS RELIED UPON (37 C.F.R. § 1.28).	11. Preliminary Amendment
16. If a CONTINUING APPLICATION , check appropriate box, and supply the requisite information below and in a preliminary amendment: <input type="checkbox"/> Continuation <input type="checkbox"/> Divisional <input checked="" type="checkbox"/> Continuation-in-part (CIP) of prior application No. 09 / 526,754	12. <input checked="" type="checkbox"/> Return Receipt Postcard (MPEP 503) (Should be specifically itemized)
Prior application information: Examiner _____ Group / Art Unit: 2756	* Small Entity Statement(s) <input type="checkbox"/> Statement filed in prior application, Status still proper and desired (PTO/SB/09-12)
For CONTINUATION or DIVISIONAL APPS only: The entire disclosure of the prior application, from which an oath or declaration is supplied under Box 4b, is considered a part of the disclosure of the accompanying continuation or divisional application and is hereby incorporated by reference. The incorporation can only be relied upon when a portion has been inadvertently omitted from the submitted application parts.	13. Statement(s) of Priority Document(s) (if foreign priority is claimed)
17. CORRESPONDENCE ADDRESS	14. Certified Copy of Priority Document(s) (if foreign priority is claimed)
<input type="checkbox"/> Customer Number or Bar Code Label (Insert Customer No. or Attach bar code label here) or <input checked="" type="checkbox"/> Correspondence address below	15. Other: _____

Name	Bruce E. Garlick		
	Garlick & Harrison		
Address	P.O. Box 691		
City	Spicewood	State	Texas
Country	US	Zip Code	78669
Telephone	(512) 264-8816	Fax	(512) 264-3735

Name (Print/Type)	Bruce E. Garlick	Registration No. (Attorney/Agent)	36,520
Signature	<i>Bruce E. Garlick</i>	Date	10/4/00

Burden Hour Statement: This form is estimated to take 1.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Box Patent Application, Washington, DC 20231.

Sir:

Transmitted herewith for filing is the patent application

Inventors: **Keith Henning and Brett A. Hurt**

For: **DATA ACCUMULATION AND SEGMENTATION SYSTEM IN ELECTRONIC COMMERCE**

The filing fee has been calculated as shown below:

	(Col. 1)	(Col. 2)
FOR:	NO. FILED	NO. EXTRA
BASIC FEE		
TOTAL CLAIMS	20 - 20 =	0
INDEP CLAIMS	3 - 3 =	0
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS PRESENTED		
*If the difference in Col. 1 is less than zero, enter "0" in Col. 2		


SMALL ENTITY	
RATE	FEE
	\$
x 9 =	\$
x 39 =	\$
+130=	\$
TOTAL	\$

OR

OTHER THAN A SMALL ENTITY	
RATE	FEE
	\$ 710.00
x \$18 =	\$
x 78 =	\$
+260=	\$
TOTAL	\$ 710.00

- ☐ Please charge my Deposit Account No. _____ the amount of _____. A duplicate copy of this sheet is enclosed.
- ☒ A check in the amount of \$ 710.00 to cover the filing fee is enclosed.
- ☐ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. _____. A duplicate copy of this sheet is enclosed.
- ☐ Any additional filing fees required under 37 CFR 1.16
- ☐ Any patent application processing fees under 37 CFR 1.17.
- ☐ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. _____. A duplicate copy of this sheet is enclosed.
- ☐ Any patent application processing fees under 37 CFR 1.17.
- ☐ The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).
- ☐ Any filing fees under 37 CFR 1.16 for presentation of extra claims.

RESPECTFULLY SUBMITTED,


Bruce E. Garlick
Registration No. 36,520
Date: October 4, 2000

DATA ACCUMULATION AND SEGMENTATION SYSTEM IN ELECTRONIC COMMERCE

PRIORITY CLAIM TO RELATED APPLICATION

This application is a continuation-in-part of U.S. Serial No.

5 09/526,754 filed on March 16, 2000.

BACKGROUND OF THE INVENTION

I. FIELD OF THE INVENTION

10 The present invention relates generally to electronic commerce. Particularly, the present invention relates to the accumulation and use of data regarding potential customers from various sales channels.

15 **II. DESCRIPTION OF THE RELATED ART**

The popularity and use of the Internet (World-Wide-Web "WWW") continues to increase dramatically with time. While electronic commerce (e-commerce) across the Internet is a relatively recent development, e-commerce sales already represent a substantial
20 portion of overall sales. While some e-commerce sellers sell only via the Internet, other e-commerce sellers maintain conventional stores and sell over the Internet as well.

Traditional advertising and sales theories, however, do not always readily apply to e-commerce sales. Using conventional
25 methods, advertisers create advertising content that is directed toward a particular type of potential customer and is placed in a particular medium. For example, advertisements for golf clubs are

shown on television during golfing tournaments or in golfing magazines but are not broadcast at most other times. While advertisement upon the Internet has become substantial, little basis exists for targeting advertisements to particular types of potential customers or for validating the success of advertising campaigns.

Some attempts have been made to correlate the content of a particular web page being viewed by a prospective customer with advertising content presented therein. For example, a prospective customer viewing a web page listing scores of baseball games may be provided with an advertisement and link to a web site that sells athletic equipment. As a further example, a prospective customer viewing a web page providing information regarding infants may be provided with an advertisement and link to a web site that sells baby products. Unfortunately, this type of correlation is prone to errors and has produced little historical success.

Further, determining which e-commerce advertisements or promotions are successful is also difficult, if not impossible to determine. Such is the case because correlation between e-commerce advertisements and e-commerce sales cannot be easily determined. Only when a customer performs a direct click-through from an advertisement to an on-line purchase is it possible to determine that the advertisement corresponds directly to a sale. In most, if not all other advertising situations, the success of an advertising campaign is indeterminable.

E-commerce presents its own unique difficulties in attempting to close sales. The very nature of e-commerce precludes common types of techniques used to close sales. Conventional stores typically employ sales people to assist customers in selecting and purchasing products. The sales people present purchase options to customers, receive feedback from the customers, and, based upon the feedback, are able to take steps to close the sale. In an e-commerce transaction, however, customers are able to view a wide range of product offerings without traveling to different physical locations. The prospective customer operates alone, without any assistance in making the decision whether to purchase a product. Thus, no representative of the seller is able to close the sale. Various studies have shown that many e-commerce shoppers select items for purchase, place them in their electronic shopping cart, and prepare to make the purchase only to change their mind at the last minute.

Some retailers' sales efforts were first in e-commerce and then they expanded their efforts into traditional commerce, e.g., bricks-and-mortar stores, catalog sales, co-branding, etc. Other retailers engaged in conventional commerce first and then ventured into e-commerce. In each of these cases, the retailers now make sales using both conventional commerce and e-commerce. Many customers of these retailers purchase using both the retailers commerce and e-commerce sales channels. However, advertising and sales efforts are typically directed only to one of these types of

commerce. Thus, the retailers are missing important opportunities to influence the buying decisions of these cross-commerce shoppers. A need therefore exists to identify all customers and their full purchasing activities so that the retailers may direct advertising and sales efforts to obtain more business.

SUMMARY OF THE INVENTION

The present invention encompasses a process for accumulating consumer sales transaction data that is gathered from a plurality of different sales transaction sources. Once accumulated, the data is segmented and used for focused consumer advertising. A plurality of sales transaction sources from which the data is collected include physical stores, mail order stores, Internet e-commerce companies, and related services companies. Each source has a consumer sales transaction database server.

The process begins by standardizing the consumer sales transaction data in order to place the consumer sales transaction data into a predetermined format. In one embodiment, a semicolon or other type of data field delimiter delimits the data. The standardized data is stored on a computer server that is comprised of some form, or multiple forms, of memory. This memory can include hard disks, tape drives, CDROM drive, and solid-state memory.

The consumer data is accumulated such that a group of the consumer sales transaction data relating to a specific consumer is assigned to that consumer in the form of a data file on that

particular consumer. The accumulated data files are then segmented to create a group of consumers defined by that group's characteristics.

Moreover, other aspects of the present invention will become apparent with further reference to the drawings and specification, which follow.

BRIEF DESCRIPTION OF THE DRAWINGS

10 A better understanding of the present invention can be obtained when the following detailed description of the preferred embodiment is considered in conjunction with the following drawings, in which:

FIG. 1 is a system diagram illustrating a web based
15 personalized content delivery system constructed according to the present invention;

FIG. 2 illustrates is a particular embodiment of a web based personalized content delivery system constructed according to the present invention;

20 FIG. 3 is a logic diagram generally illustrating operation of a web based personalized content delivery system according to the present invention;

FIG. 4 is a logic diagram illustrating operation of a customer computer in seeking and obtaining personalized content according to
25 the present invention;

FIG. 5 is a logic diagram illustrating operation of a load

balancing server and a content management server according to the present invention;

FIG. 6 is a logic diagram illustrating operation of a data aggregation server according to the present invention;

5 FIG. 7 is a logic diagram illustrating operation of a content management interface server according to the present invention;

FIG. 8 is a block diagram illustrating a server computer constructed according to the present invention;

10 FIG. 9 is a block diagram illustrating a particular embodiment of a data accumulation and segmentation system of the present invention;

FIG. 10 is a flowchart illustrating a process of data accumulation and segmentation in accordance with the system of FIG. 9;

15 FIG. 11 is a flowchart illustrating a process that uses the accumulated/segmented data in accordance with the system of FIG. 9;

FIG. 12 is a block diagram illustrating a system in which targeted advertising is employed to reach a customer;

20 FIG. 13 is a flowchart illustrating a process in accordance with FIG. 12;

FIG. 14 is a system diagram illustrating an alternate embodiment of a personalized content delivery system constructed according to the present invention in which content is accessed and delivered via separate networks;

FIG. 15 is a system diagram illustrating another alternate embodiment of a personalized content delivery system constructed according to the present invention in which a first system server group services a single client and a second system server group
5 services a plurality of clients; and

FIG. 16 is a system diagram illustrating still another embodiment of a personalized content delivery system constructed according to the present invention in which radio frequency watermarks are employed in delivering personalized content.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215

In the preferred embodiment, the PCDC is JavaScript and/or HTML code. Alternate embodiments use other differing types of code for the PCDC.

A client is a company or other entity that is engaged in commerce, including e-commerce. Clients may host on-line stores at which customers purchase goods and services over the Internet. In providing their on-line stores, clients provide a number of web pages on their client web servers (104). Each web page may correspond to a particular item for sale, a particular category of items for sale, sales checkout pages, product search pages, or other types of WWW pages.

In other embodiments, clients may be engaged businesses such as portals, chat rooms, application service providers, search engines, and other Internet based operations. In these embodiments, the clients provide content that is not necessarily directed toward e-commerce. For example, the content provide may be an on-line newspaper, magazine or other content source. In these embodiments, content is personalized for a customer accessing the system.

In an example of an e-commerce embodiment, a client pays to have its web pages, banners, or other content displayed on a third party web server (106). The third party web server may be a portal, a search engine, a non-competing e-commerce site, or another site at which the client desires to advertise. Customers and potential customers of the client visit the client's web

servers (104) and third party web servers (106) during web surfing or e-commerce. In a preferred embodiment, the customer uses a customer computer (102), running a browser program such as NETSCAPE, to access the web. The browser program is well known in the art and is not discussed further. In alternate embodiments, the customer uses other types of devices when accessing the client web servers (104) and third party web servers (106). These devices include personal data assistants, web-enabled telephones, laptop computers, net appliances, web-enabled televisions, and other electronic devices that have the ability to download web pages from web servers across a data network.

PCDC may be loaded into each web page or banner that makes up a portion of a web page. The client may take steps to load the PCDC into these web pages during setup of the web pages, or portions thereof. Because the PCDC applies equally to all customers that access the web pages, it may be easily entered into all web pages on a site. Alternately, if the client implements the system of the present invention after its e-commerce site has been built, the content management server (108) or the content management interface server (116) may be used to load the PCDC into the web pages or portions thereof.

When a customer accesses a web page that has been populated with the PCDC, the customer's browser executes the PCDC contained in the web page. Upon execution of the PCDC, the customer's computer (102) sends a query to the content management server(s)

(108), in which the PCDC identifies the client, a secondary identifier that reveals additional information about the customer's access (e.g., the client's web page being accessed, an advertisement ID, a sales campaign ID) and the identity of the
5 customer/customer computer.

A cookie or other type of identifier stored on the customer's computer (102) provides the customer/customer computer identity. The query may also include additional information relating to the interaction between the customer and the particular web page that
10 has been populated by the PCDC. Other types of identifiers include, for example, a MAC identifier associated with a computer, a computer's serial number, a computer's IP address, a cellular telephone's mobile identification number (MIN), a cellular telephone's telephone number, a web enabled telephone's telephone
15 number, or any other unique ID associated with the customer computer 102.

In response to some or all of the information contained in the query, the content management server(s) (108) performs a table lookup (or other logical operation) based upon the information
20 contained in the query and receives the address of personalized content to be displayed to the customer or executed by the customer computer. In other embodiments, a rules application or other logic operation may be performed instead of a table lookup. This operation simply identifies content based upon the query.

25 Then, according to one operation, the content management

server (108) returns an IP address (and file name) of the personalized content to the customer's computer (102). The personalized content may include one or a combination of HTML, JavaScript, XML, and other languages that render in a web browser program. In other embodiments, the personalized content may be an audio file, a video file, streamed multimedia content, or other content that the client desires to deliver to the customer. In still another embodiment, the content management server (108) pushes personalized content back to the customer's computer (102) in response to the query.

The customer's computer (102) receives the personalized content address and processes it accordingly. When the customer's computer (102) receives the address of an image, it downloads the image from the content server (110), for example, and displays the image to the customer. The personalized content may be displayed within a designated location of the web page that was downloaded from the client web server (104) or the third party web server (106). When the customer's computer (102) receives the address of an executable file, the customer's computer (102) retrieves the executable file and executes it for the customer. This executable file may also be downloaded from the content server (110).

After the content management server (108) sends the result to the customer's computer (102), it may also send a record to the data aggregating server (112) that includes information, such as the identity of the client, the identity of the web page visited,

the identity of the customer, and/or other information pertinent to the customer's web page visit. Periodically, or upon request, the data aggregation server (112) formats this information and passes the information to the personalization/segmentation database (114).

5 This information is archived for subsequent use.

Via client interaction, and by using data contained in the personalization/segmentation database (114), the content management interface server (116) creates the tables, rules, or other logic that are later used to determine the personalized content to be
10 provided to particular customers. By using the set of tools available on the content management interface server, the client may review pertinent customer information. This customer information may reveal the numbers of customers that have visited the client e-commerce site, how the customers came to the site,
15 e.g., directly or via a third party web server, the manner in which the customers behaved once at the client's e-commerce site, whether the customers purchased goods from the e-commerce site, and additional customer information.

Segmentation is a technique for identifying a group of
20 customers by defining the group's characteristics. For example, a segment can be defined as "all the visitors who bought at least once from their site", "people who have visited their site more than once", or "people who are first time visitors to their site".

Internal content delivery means showing banner ads or
25 personalizing ads, content, etc., within the client's website.

External personalized content delivery means running clients' banner ads on third party web sites such as content sites, portals, search engines and other sites.

Based upon the gathered information, the client may segment the customers and select particular personalized content to be sent to each segment of customers when they next visit a particular site, web page, or portion thereof. This segmentation may be on a user-by-user basis, on a group of users basis, or based on other criteria. With this segmentation established, the content management interface server generates tables, rules, or other logic that the content management server(s) (108) will subsequently use to provide content to the customers.

The illustrated architecture of the content server (110), the data aggregating server (112), the personalization/ segmentation database (114) and the content management interface server (116) illustrated in FIG. 1 (and that which is illustrated in FIG. 2) are particular embodiments only.

Alternate embodiments use different structures to perform the functions described herein according to the present invention. For example, each of the servers illustrated may be implemented by a plurality of separate machines. In yet another embodiment, each of the illustrated servers could be combined so that their functions are performed by a lesser number of machines than the number of servers illustrated.

Generally speaking, personalization may be described as customizing or tailoring Banner Ads, Promotions, and other Content to individual customers in an attempt to make sales to the customers. This type of personalization is very important in the highly competitive e-commerce marketplace.

It does not make sense to provide an advertisement for a discount on winter clothing to a customer searching for a swimsuit. Personalization helps sellers identify individual customers visiting their sites, or potentially visiting their sites, and to tailor the seller's promotional ads or other content delivered to the customer or potential customer based on past shopping behavior in an attempt to make a sale. The personalization process therefore increases the chances of making a sale to a customer.

Another example of the use of personalization is in connection with personalized marketing to measure the success of particular advertising campaigns. For example, a segment may be defined as "visitors that have visited the customer's e-commerce site more than once". A goal of this personalization is to determine how repeat visitors react to various promotional banners, e.g., in a golf shop website. One control group and three test groups are set up to test the response. In the control group of the segment, no discount banner is served. In the first test group, a 10% off banner is served. In the second test group, a 20% banner is served. In the final test group, a \$25 off banner is served. These discounts are then applied to purchases made by respective

customers. For 100,000 "repeat visitors", 25,000 customers receive the control group banner, 25,000 customers receive test group 1 banner, etc.

Segmentation of the customers into the four groups allows the effect of the distribution of a selected banner ad to each segment. When a customer visits the client's corresponding web page, the system determines which segment the customer falls within by analyzing the customer's cookie or other unique customer identifier. If the customer does not fall into the defined segments, then he or she will be served with a default banner. If the customer falls into any of the segments listed, he or she will be served with a banner or other personalized content designated for the segment. All customers falling within a particular segment receive the same banner. If a customer falls into multiple segments within the personalization, a priority will be determined for content delivery. Results may then be subsequently traced for the particular segmentation and the effectiveness of each advertisement can be judged.

FIG. 2 illustrates a particular embodiment of a web based personalized content delivery system of the present invention. In the illustrated embodiment, a plurality of content management servers (206) couple to the Internet/world-wide-web (WWW) (202) via a load-balancing server (204). A data aggregation server 208 couples to each of the content management servers 206. In combination, these servers (204), (206) and (208) are referred to

as a system server group (207). Each system server group (207) may service a single client or a plurality of clients. A system server group (207) may be managed by a service provided or by a client. System server groups (207) may be deployed, expanded, removed, etc. 5 to meet the varying demands required of the system of the present invention.

For each received query, the load-balancing server (204) routes communications to a designated content management server of the plurality of content management servers (206). Each of the 10 content management servers (206) also couples to a data aggregation server (208).

The data aggregation server (208) couples to the personalization/segmentation database (210). A content management interface server (212) couples to the personalization/segmentation 15 database (210). The content management interface server (212) also couples to the WWW (202) and may couple to the load-balancing server (204) (or content management servers (206)) via another connection, e.g., LAN, WAN, etc.

Third party web server (222), client web server (220) and 20 content server (224) also couple to the WWW (202). These servers, as well as the other servers, may be at any physical location. Customers may couple to the servers in any of a variety of manners. For example, customer's computer (226) running browser (228) may couple to the WWW (202) via an Internet service provider (230). 25 Customer's computer (238) running browser (240) may couple to the

WWW (202) via a Local Area Network or Wide Area Network (242). Moreover, customer's computer (232) running browser (234) may couple to the WWW (202) via a wireless network (236). The customer's computer may be another type of electronic device as well that can access the WWW (202) and download web pages from the third party web server (222) or the client web server (220). Alternate embodiments of the customer's computer could be a personal data assistant (239) that couples via a wireless connection, data enabled telephones (241) and (243), a web-enabled television (shown in FIG. 14) and other data enabled devices.

Depending upon the type of customer's computer (or other data device) employed by the customer, the overall communication link character, connection topology, and other communication link characteristics will differ. However, generally speaking, the customer's computer is initially in communication with the client web server (220) or the third party web server (222) when accessing a web page. Subsequent to his web page access, the customer's computer communicates with the content management server(s) (206) to send the query and in receiving the response to the query. In the architecture of FIG. 2, the customer's computer communicates with the content management server(s) (206) via the load-balancing server (204). However, load balancing among the content management server(s) (206) may be performed using other techniques, such as unique URLs to each content management server (206), an operation of a domain name server to identity a serving content management

server, etc. Subsequent to receipt of the query, the customer's computer is then in communication with a resource, e.g., the content server (110), from which the personalized content is retrieved.

5 In an example of operation according to the present invention, customer's computer (226) accesses a web page contained on client web server (220). The downloaded web page contains executable PCDC, which upon execution generates a query to the load-balancing server (204). The query, in this example is directed to the WWW
10 address of the load-balancing server (204) and includes a path name to a particular directory and resource that is contained on a corresponding content management server (206). An example of such a query would have the address:
http://expedite.coremetrics.com/clientID/cginame/clientID/expid/typ
15 e. The query will include additional information as well, such as the type of content of the site visited, the time stamp of the customer's computer (226), a third party banner supplier, etc. Via interaction with a domain name server, the URL
"expedite.coremetrics.com" enables routing of the query to the
20 load-balancing server (204) (or directly to a designated content management server (206)). The load-balancing server (204) receives the query, parses the query to read the first instance of "clientID" and, based upon the "clientID", the load-balancing server (204) routes the query to a particular content management
25 server of the plurality of content management servers (206).

The particular content management server (206) then uses the query address to access a lookup table (or other data structure) corresponding to the clientID and expID (client advertising campaign, promotion identification or other subset created by the client) stored in the CGI name directory corresponding to CGIname. The CGI directory stores common gateway interface executable files, each of which corresponds to a particular client and expID. In some cases, a client will not have separate expIDs and a single CGI executable will be employed for all queries corresponding to the client. In one embodiment, the lookup table is a hash table (a structured data set for an in-memory database) and a cookieID, that uniquely identifies the customer and that is received with the query, is used as an input to the hash table. The table lookup returns the address of, pointer to, or other identification of the personalized content. The personalized content may be an image, a banner advertisement, an audio file, a video file, a multimedia stream, etc. Further, the address of the personalized content may be an Internet address, a pointer, a pointer to a pointer, or another item that may be used to retrieve the particular personalized content.

The browser (228) operating on the customer's computer (226) receives the address of the personalized content, retrieves the image or executable based upon the address, and displays the image or executes the executable on the customer's computer 226. Within the content returned to the customer's computer is the clientID

(client identification), the expID (if any), the cookieID (customer identification), the bannerID (location on the web page in which to display content, if required), the personalized content type (image or executable) and the destination URL of the image or executable.

- 5 In an alternate embodiment, the content management server returns the personalized content to the customer's computer (226) instead of the image/executable address.

Concurrent with returning the content to the customer's computer (226), the content management server (206) may write a
10 record of the transaction to the data aggregation server (208). A record may be created every time the content management server (206) responds to a query. Alternately, the records may be created to obtain a statistical representation of customer behavior, in which case records are not created for each query response. This
15 record is written to a text file and includes the clientID, the expID, the cookieID, the bannerID, and the personalized content type. As was previously described, this text file will periodically be converted into database records that are stored on the personalization/segmentation database (210). In an alternate
20 embodiment, each time a record is created by the content management server (206), a database record is created that is in a format that may be received by the personalization/segmentation database (210). The database records may be transferred to the personalization/segmentation database (210) upon their creation or they may be held
25 by the content management server (206) and downloaded to the

personalization/segmentation database (210) periodically or upon the occurrence of a triggering event.

In other operations according to the present invention, the query from the customer device, e.g., web enabled telephone (241) provides in its query the MIN of the telephone (241). The MIN of the telephone (241) along with other information regarding the client is employed to identify content for the customer. The identity of this content is then returned to the telephone (241) for subsequent use.

In another operation according to the present invention, a client, using the client computer (216), with the browser (218) accesses the content management interface server (212) across the WWW (202) in setting up campaigns and to review the activity of his or her customers. While the client may access the content management interface server (212) at any time to setup campaigns, e.g., segmentations and other personalized content direction, the client's continued participation is not required to keep the system current. Based upon the client's most recent input, the content management interface server (212) periodically (every one to six hours, for example), or upon a manual operation, generates updated tables to perform the personalization/segmentation operations.

FIG. 3 illustrates a logic diagram of the operation of a web based personalized content delivery system of the present invention. Operation commences wherein a customer's computer retrieves a web page that has been populated with PCDC (step 302).

The PCDC is received by a browser on the customer's computer and executed. Upon its execution, the PCDC causes the customer's computer browser to send a query to a corresponding content management server (step 304).

5 The content management server receives the query, performs a table lookup (or other lookup operation) based upon the query and determines the address of personalized content (image or an executable file) that will be used for the personalization operation (step 306). In one embodiment, the database used for the
10 lookup corresponds to a particular client and segment, e.g., campaign ID, of the client. The table lookup itself uses an index that identifies the particular customer. If the customer is not represented in the database, a default result is returned. The
15 default result would be returned for a first time visitor to the site or to the web page.

 In an alternate embodiment, characteristics of the particular customer or characteristics of the particular web page the customer is visiting are used in the table lookup. Customer characteristics may be captured by a cookie residing upon the customer's computer,
20 the cookie having been generated upon the customer's visit to the client's website. In one embodiment, the PCDC executed for present operation extracts relevant information from the cookie (or other characteristics of the customer gathered from the customer's computer) and returns this information to the content management
25 server. This information is then used in the table lookup

operation. Other criteria may also be employed in selecting content to be provided to the customer, e.g., time of day, physical location of customer, type of computer the customer is using, etc.

After retrieving the address and type of content to be displayed to the user, the content management server returns the address of the personalized content to the customer's computer along with an indication of the type of content and additional required information (step 308). The content management server may then forward a record of the transaction to the data aggregation server, the record including information such as the clientID, the campaign ID (expID), cookieID and/or other relevant information (step 310).

The customer's computer receives the personalized content address from the content management server along with the additional content of the response (step 312). The browser operating on the customer's computer then retrieves the personalized content based upon the address received from the content management server. When the personalized content is an image, the customer's computer displays the image to the customer within the web page that had been previously downloaded from the client web server or third party web server (step 314). Alternately, when the personalized content is an executable file, the customer's computer executes the executable file thereby displaying the content to the customer.

The personalized content may comprise a combination of HTML,

JavaScript, and other language that render in a web browser program. However, the personalized content may also be an audio file, a video file, streamed multimedia content, or other content that the client desires to deliver to the customer.

5 FIG. 4 is a logic diagram illustrating operation of a customer's computer in seeking and obtaining personalized content according to one embodiment of the present invention. Operation commences when a customer accesses a web page that contains PCDC.

10 The PCDC executes so that the customer's computer attempts to access the cookieID and sessionID that may have been previously stored in a cookie on the customer's computer (step 402). If this is the first client web page that the customer has accessed, no cookie will exist for the client (step 404) and the PCDC creates a cookie (step 406). Because the customer has no unique identity
15 with respect to the client, a cookieID must be also be obtained. In one embodiment, the content management server creates unique sequence numbers that serve as cookieIDs.

20 These cookieIDs are then sent to the client web server for assignment to new customers. In this embodiment, the customer's computer requests and receives a cookieID from the client web server as part of its query. In an alternate embodiment, the PCDC directs the customer's computer to access another server computer, e.g., the content management server, to obtain a cookieID. This access may be contained in the query sent from the customer's
25 computer to the content management server.

The sessionID is a customer ID that is valid for a particular time period, e.g., twelve (12) hours, and serves to correlate events occurring during a particular session that the customer has with the client's web site. The sessionID is created by the PCDC
5 and includes the clientID, the cookieID, the Internet Protocol (IP) address of the customer, and a time stamp. Each time that the customer accesses a web site that includes PCDC, the PCDC accesses the respective cookie to determine whether a current sessionID exists. The cookie may be valid across multiple client web sites
10 and serve to identity a particular customer across the multiple clients web sites. If the most recent sessionID is expired, or if no sessionID exists (step 412), the PCDC creates a sessionID and writes the sessionID to the cookie (step 414).

Cookies may be encrypted when sent across the Internet to and
15 from the client computer using PK1 or another encryption type. Further, because cookies may be modified or their function limited by customers, it may be desirable to make copies of cookies and maintain the cookie copies remotely from the customer's computer for future reference.

20 When both a cookieID and a current sessionID have been created, the PCDC retrieves the cookieID and the sessionID (step 410). Then, the PCDC executes to transmit a query to the content management server (step 416), the query including the clientID, the cookieID, the sessionID, and other information that the PCDC deems
25 to be required. If the client has more than one advertising

campaign, the query may include the expID (campaignID) as well. As
was previously discussed, personalized content may be chosen based
upon the customer's identity (cookieID). However, in other
operations, the personalized content may be selected based upon
5 other criteria gathered by the PCDC such as customer demographics,
customer's computer characteristics, and web page characteristics,
among other criteria.

The customer's computer then waits for a response from the
content management server; the response including the address or
10 other identity of an image or executable file (personalized
content) that the customer's computer is to display/execute (step
418). When the response includes the address of an image (step
420), the customer's computer retrieves the image (step 422) and
displays, streams or otherwise delivers the content to the customer
15 (step 424). When the response includes the address of an
executable (step 426), the browser on the customer's computer
retrieves the executable (step 428) and executes the executable
(step 430) to provide the content to the customer. In providing
the content to the customer on the customer's computer, interim
20 steps may be required, depending upon the type of personalized
content retrieved. For example, to present streamed multimedia to
the customer, a streaming multimedia player must be obtained and
launched. As another example, when the personalized content is an
audio or video file, an appropriate player must be obtained and
25 launched to enable presentation of the personalized content to the

customer. From both steps 424 and 430, operation ends.

FIG. 5 is a logic diagram illustrating operation of a load balancing server and a content management server, both according to the present invention. As a first described operation, the content management server waits for a query from a customer's computer (step 502). Upon receipt of a query from a customer's computer (step 504), the load-balancing server assigns the query to a content management server based upon the clientID (step 506). In a typical installation, one content management servers may service a plurality of clients. However, for heavier traffic installations, one or more content management server may be required to service a single client. When multiple content management servers service a single client, the load-balancing server uses reference to the expID (campaignID) in selecting a content management server. When the load-balancing server is not employed, step 506 is not performed.

The content management server then performs a table lookup (or other lookup operation) based upon the clientID, expID, and cookieID. In the described embodiment, a single hash table is created for each clientID/expID pair and the cookieID serves as the lookup index for the hashing function. When hashing the cookieID does not yield a result from the table lookup operation (step 514), the content management server retrieves a default address for an image or for an executable file (step 516). Otherwise, the table lookup operation returns the address of an image or executable file

The content management server then returns the address of the image or executable to the customer's computer along with additional information (step 518). In an alternate embodiment, the content management server returns the image or executable file to the customer's computer. Once this operation is complete, the content management server forwards the clientID, the expID, the cookieID, and additional required data to the data aggregation server for further processing (step 520). From step 520, operation returns to step 502.

FIG. 6 is a logic diagram illustrating operation of a data aggregation server according to the present invention. From the normal operating state of the data aggregation server (step 602), various operations may take place, some of which are described with reference to FIG. 6. As a first operation, the data aggregation server receives a record from a content management server (step 606). Upon receipt of the record, the data aggregation server adds the record to a text file that either contains, or will contain other records received from the same content manager server or other content management servers.

In another operation, the data aggregation server imports customer records that are of another format (step 608). The client at its web site may have collected these customer records over time. Upon commencing operation with the system of the present invention, the client desires to retain these records and thus

imports these records. Upon receiving these records, the data aggregation server converts the format of the received records into a format compatible with the personalization/segmentation database (step 610). In the described embodiment, the records are converted
5 (step 612) into a text file that is compatible with the text file format created at step 606.

Periodically, or with manual intervention, the text files that were created at steps 606 and 612 are converted into database records and entered into the personalization/segmentation database.

10 When this operation occurs upon the expiration of a timeout period (step 614), all existing text files are consolidated and compressed by the data aggregation server (step 616). These compressed files are then exported to the personalization/segmentation database (step 618) where they are uncompressed and converted into database
15 records. In the described embodiment, a C Program is used to decompress all of the text files and to convert the text files into a database format. The personalization/segmentation database then enters the records for future use.

Consolidation of records may also be initiated manually (step
20 620). When manual consolidation is initiated, the text files are consolidated and compressed (step 622) and then the text files are exported to the personalization/segmentation database (step 624). The personalization/segmentation database then decompresses the file and converts the records into a compatible database format.

25 FIG. 7 is a logic diagram illustrating operation of a content

management interface server according to the present invention.

When a client interfaces with the content management interface server, the client may review the customer activity that has been recorded regarding the client's web site. Operation is initiated

5 with a customer data presentation request made by a client (step 704). Data is presented to the client according to a set of criteria that is set up by the client. Examples of criteria that may be used to present the data include, purchasers vs. non-purchasers, number of purchases, total dollars spent, number of
10 times visited the client site, how the customer reached the site and a number of other criteria. Various summary pages may also be produced which aid the client in attempting to create categories of behavior for its customer base and/or to view all customer data for a particular time period.

15 The content management interface server then receives the criteria (step 706) and segments the customer data according to the criteria (step 708). The customer data is then presented to the client based upon these criteria and organized according to the set of criteria (step 710).

20 After a review of the data has revealed particular ways in which the customer should segment customers and how to target personalized content or other content to the customers, the client performs a customer data segmentation request (step 712). The content management interface server receives the criteria for the
25 customer data segmentation request (step 714) and

segments/organizes the customer data according to the particular criteria. At the same time, the client provides personalized content corresponding to the customer segmentation. The content management interface server then associates the personalized
5 content with the particular segmentations created (step 718).

Based upon a current segmentation of customer data and associated personalized content, the content management server determines that table (or other logic function) updates are required (step 720). Table updates are performed periodically,
10 e.g., every six hours at a time that is coordinated with the receipt of new data in the personalization/segmentation database from the data aggregation server. Alternately, a table update may be initiated manually, such as is the case when segmentation criteria are updated. When table updates are required, the content
15 management interface server retrieves all pertinent data from the personalization/segmentation database, retrieves the segmentation criteria and generates lookup tables, e.g., hash tables, based upon the data and the segmentation criteria (step 722). These tables are then downloaded to the content management server(s) that is/are
20 servicing the particular client and expID (step 724).

As another operation according to the present invention, the content management interface server creates and generates an email campaign (step 726). This email campaign may be periodically initiated for the client or may be manually initiated by the
25 client. When initiated, the content management server receives

criteria for the email campaign (step 728), e.g., particular segments of customers to which the email is directed. The content management interface server then segments/organizes the customer data to retrieve customer entries that correspond to the criteria (step 730). The content management interface server then generates email messages to the customers meeting the segmentation criteria (step 732). The email messages created may have embedded code in the email messages to track the email as well as the subsequent behavior of the recipient, e.g., click through to the client web site and an ultimate purchase. Email addresses may be collected by the PCDC during operations when the customer orders from the corresponding client. In an alternate operation, the job of creating and sending the email is contracted out to a third party.

FIG. 8 is a block diagram illustrating a server computer constructed according to the present invention that may perform the functions of the content management server (108), the data aggregation server (112) or the content management interface server (116). The server computer (800) may be a general-purpose computer that has been programmed and/or otherwise modified to perform the particular operations described herein. However, the server computer (800) may be specially constructed to perform the operations described herein. The server computer (800) may also provide the functionality of the content server (110), the client web server(s) (104) and/or the third party web server(s) (106).

The server computer (800) includes a processor (802), memory

804, a network manager interface (806), storage (808) and a peripheral interface (810), all of which couple via a processor bus. The processor (802) may be a microprocessor or another type of processor that executes software instructions to accomplish
5 programmed functions. The memory (804) may include DRAM, SRAM, ROM, PROM, EPROM, EEPROM, or another type of memory in which digital information may be stored. The storage (808) may be magnetic disk storage, magnetic tape storage, optical storage, or any other type of device, which is capable of storing digital
10 instructions and data.

The network manager interface (806) couples to a network manager console (816), which allows a manager to interface with the server computer (800). The network manager console (816) may be a keypad/mouse/display or may be a more complex device, such as a
15 personal computer, which allows the manager to interface with the server computer 800.

The peripheral interface (810) couples to a packet switched network interface (818), an Intranet interface (822) and a database interface (826). The packet switched network interface couples the
20 server computer (800) to a packet switched network (820) that may be the Internet (WWW) or another packet switched network. The Intranet interface (822) couples the server computer (800) to an Intranet (824). In one embodiment, the server computer (800) couples to the Internet via the Intranet (824). The server
25 computer (800) may use the Intranet (824) to access resources that

are not coupled to the Internet.

The database interface (826) couples the server computer (800) to a database (828) (when included) that stores content and data relating to the personalization and segmentation functions according to the present invention. Personalization and Segmentation Software (PSS) (812) is loaded into the storage 808 of the server computer (800). Upon its execution, a portion of the PSS (812) is downloaded into memory (804) (as PSS 814). The processor (802) then executes the PSS (814) instructions to perform the operations described herein. The programming and operation of digital computers is generally known to perform such steps. Thus, only the functions performed by the server computer (800) will be described and not the manner in which the processor (802) and the other components of the server computer (800) function to perform these operations.

FIG. 9 is a block diagram illustrating a particular embodiment of a data accumulation and segmentation system of the present invention. This system is comprised of a main server (901) that stores data accumulated from various sources and various media. The main server (901) may be the same server as the content management interface server (116) illustrated in FIG. 1 and discussed further with reference to FIGs. 2-8. However, in other embodiments, the main server (901) is separate and distinct from the content management interface server (116) but interfaces therewith to accomplish the teachings of the present invention.

The main server (901) is typically owned and operated by a data accumulation company that handles the storage and use of the accumulated data. However, in other embodiments, the main server (901) is operated by a company that also is engaged in commerce
5 with respect to the information collected and used thereby.

Customer data that is collected by and stored by the main server (902) is accumulated from a wide range of sources such as stores or mail order, such sources including e-commerce and non-e-commerce sources. Each of the sources of customer data interfaces
10 with the main server to acquire customers' personal data, transaction data, and other pertinent data for later use in focused advertising to those customers. These operations will be described further herein with reference to FIGs. 10-12. A customer database (902) couples to the main server (901) and may be employed to store
15 collected data that has been ordered and/or normalized. In one embodiment, the customer database (902) is the same database as the personalization/segmentation database (114) illustrated in FIG. 1. However, in other embodiments, the customer database (902) is separate and distinct from the personalization/segmentation
20 database (114). In the latter case, the data stored in the customer database (902) will eventually be passed, either in a same or similar form, to the personalization/segmentation database (114) for subsequent segmentation/advertising efforts.

Coupled to the main server (901) via one or more communication
25 networks/links (920) are a store transaction server (910), a mail

order transaction server (915), a co-branded store transaction server (905) and a related services transaction server (925). These servers 905, 910, 920, and 925 are generalized representations of the various computer devices that service transactions with customers. The descriptions of these servers 905, 910, 920 and 925 is intended to generally relate the various types of systems in place that service transactions with customers. Of course, any various other computer server (or other computer equipment) that services customer transactions could be coupled to the communication networks/links (920) as well and fall within the scope of the present invention. Each of these servers 905, 910, 920, and 925 includes at least one structure for storing data. In one contemplated embodiment, the structure is a hard drive storage unit operated in conjunction with a database program.

The communication networks/communication links (920) refers generally to any network or communication system that services data communications between the main server (901) and the store transaction server (910), the mail order transaction server (915), the co-branded store transaction server (905), the related services transaction server (925), or another server/computer that stores customer transaction data. The communication networks/communication links (920) could comprise one or more of the Internet, a Wide Area Network, a Local Area Network, an Intranet, one or more portions of the PSTN, a wireless network, a satellite network and/or any other communication network that

supports communications between computers.

As an example of a portion of the operation of the data accumulation and segmentation system, a customer purchases an item from a co-branded store in a mall or other location. The customer's identity, other personal information and transaction information is stored on the co-branded store transaction server (910). This information includes at least the date of purchase, the customer's name, the customer's age, the customer's address, the item purchased, and the amount of purchase. However, additional information may also be stored on this server including, for example, a customer number, relationships of the customer to other customers, etc. Either immediately, or periodically at a chosen interval of time or transaction numbers, this transaction information, as well as all other stored but not previously uploaded information, is sent to the main server (901) via the communication network/communication links (920).

In another example of such an operation, a customer makes a mail-order purchase with a mail order vendor. In servicing this mail-order purchase, the mail-order transaction server (915) collects and stores all relevant customer and transaction information for the purchase. This information is then sent, either immediately, or periodically to the main server (901). In still another

As another example, the customer purchase an item from a co-branded store of another company that has a business relationship

with another corporation interested in collecting customer transaction data. The co-branded stores may include various types of stores that sell goods different than that of the interested corporation but use the trademarks of the interested corporation.

5 An example of such co-branding relationship is the relationship that exists between the Ford Motor Company™ and the Eddie Bauer™ sporting goods and apparel companies. Some of Ford Motor Company's vehicles carry the Eddie Bauer™ brand. The Eddie Bauer™ Company has an interest in determining who purchases vehicles carrying its brands for subsequent advertising efforts. In such an example, the co-branded store customer transaction server (910) collects customer transaction data for the co-branded goods. Then, this customer transaction information is sent to the main server 901 for subsequent use.

15 As a further example, a customer purchases from multiple stores that are owned by a common corporate parent, each of which operates a store transaction server (910). These commonly owned stores might include various clothing stores specializing in different levels of clothing cost, style, or the customer's sex.

20 The corporate parent of the stores may also have a mail order business that sells the same or similar products via telephone or Internet, which uses a mail-order transaction server (915). Customer transaction information from all of these stores and purchases will be sent to the main server (901) for further action

25 in advertising by the common corporate parent. Such advertising

may attempt to direct one type of purchaser from a lower priced commonly owned store at which the customer currently shops to a higher priced commonly owned store at which the common corporate parent may make a larger profit on similar sales.

5 As still another example, the customer may purchase services that are of interest to another company for subsequent advertising/sales efforts. For example, the customer may be a woman in the hospital who has just delivered a baby. The hospital's corporate parent may own or have a deal with other
10 stores that sell baby apparel or other baby requirements. The mother's personal information as well as the baby's information is entered into the hospital's related services transaction server (925) for later downloading.

The information from all of the various sources illustrated in
15 FIG. 9 is accumulated in the main server (901). In one embodiment, the main server (901) accumulates this information by automatically telephoning each source's database and downloading the information. For example, the main server and each of the individual consumer transaction database servers are coupled to or are comprised of a
20 modem that is coupled to the public switched telephone network (PSTN). The main server, through the modems and PSTN, telephones each subscribing database late at night when the stores are closed and the databases have been updated for the day. Alternatively, each store's database server can call the main server (901) and
25 download the information.

In another embodiment, the various sources of customer transaction data are linked to the main server (901) by satellite. In this case, the main server (901) can either accumulate the data in real-time as the customer makes the purchase or the information
5 can be downloaded to the main server after the store has closed for the day. This embodiment requires that each server be coupled to a satellite transceiver and satellite antenna. In still another embodiment, the main server (901) is coupled to the consumer transaction database servers over a dedicated data line such as an
10 ISDN line. This requires that each server be coupled to an ISDN modem.

The embodiment of FIG. 9 shows the main server (901) as being a single server. Alternate embodiments use multiple physical servers that may include multiple hard/tape drives for mass storage
15 of the data. Further, multiple databases (902) may also be used, either in shared or dedicated modes.

FIG. 10 is a flowchart illustrating a process of data accumulation and segmentation in accordance with the system of FIG. 9. As the data is being accumulated into the main server's (901)
20 database (step 1000), the process must first standardize the data into a common format (step 1005) in order for the data to be useful.

Each server/computer, e.g., 905, 910, 915, and 925, that has accumulated data may have its own proprietary format for storing
25 the customer/transaction data. In this case, each different data

format must be re-organized such that each piece of customer information is stored in a known order in the database. The order or predetermined format of the data can be any order with delimiting characters, such as a semicolon, to differentiate the
5 different fields of data. The following shows an example of a data format:

Last Name; First Name; Age; Address; Item Purchased; Price Paid;
Retailer Name

10 After the data is standardized (step 1005), it is stored in the main server (901) (step 1010). Next, the data may be cross-referenced (step 1015) to determine the customer's shopping patterns and habits. In other words, the customer's transactions
15 from all of his purchases at different retailers are examined. Step 1015 is optional and may encompass all, some or none of the steps previously described herein for segmenting customer data.

If the customer only made purchases from high-end retail establishments, he should not be targeted with advertisements from
20 low-end establishments. Additionally, if the customer is a female, she should not receive advertisements for male-oriented items. Or if the customer is relatively young, she should not receive advertisements related to older adult items.

After cross-referencing the data (step 1015), the data is
25 optionally accumulated on a per customer basis (step 1020). In

other words, on the main server (901), each customer will have a file dedicated solely to that customer that can be referenced by the customer's name, telephone number, or other indication. In another operation, the data is incorporated into the personalization/segmentation database (114) of FIG. 1 for further operations.

The customer file includes: the aggregate spending habits that have been accumulated from the various sources, the customer's address, the dates and locations of the various purchases, the customer's age and sex, and any other relevant information that can be accumulated from the above described databases.

The accumulated customer files are then segmented (1025). Segmentation, as described above in relation to other embodiments, is a technique for identifying a group of customers by defining the group's characteristics. The process of the present invention, therefore, not only gives the subscribing retailer information regarding each individual customer but also enables the retailer to target groups of customers based on the segmented data. Once the data is stored in the main server's database, it can be used for multiple purposes.

FIG. 11 is a flowchart illustrating a process that uses the accumulated/segmented data in accordance with the system of FIG. 9. After the data is segmented (step 1025), it may be used to direct targeted emails to the individuals (step 1105) that advertise the retailers' products. The segmented data may also be used to direct

targeted postal mailers or brochures (step 1110), post cards (step 1115), and/or coupons (step 1120). In another embodiment, if the customer possesses a web-enabled cellular telephone, the data can be used to send advertisements/discounts to that particular telephone for display on the telephone.

Segmented data may also be sent to an RF advertising server (as will be described with reference to FIG. 16) (step 1125), to a data-mining server for further use (step 1130) and/or to a system server group for use by a client or for a client (step 1135). As will be appreciated from the teachings of FIG. 11, segmented data may be used for numerous useful purposes, only some of which are disclosed herein.

FIG. 12 is a block diagram illustrating a system in which targeted advertising is employed to reach a customer that is accessing a gas pump (1201). In this embodiment, the gas pump (1201) is equipped with means for displaying both video and audio information. This may be accomplished by a CRT or LCD screen (1220) that is capable of video display as well as a speaker (1225) in or near the gas pump (1201).

The gas pump (1201) has is communicatively coupled to the content management server (108) via a communication link (1210), which may include the Internet, the telephone network, a wireless network, etc. This communication link (1210) also couples the gas pump (1201) to a credit card clearinghouse computer (1240). When the customer inserts his credit or debit card into the pump's card

reader (1230), his credit information is read from the magnetic strip and sent to a credit card clearinghouse computer (1240) for confirmation of credit. Subsequently, the credit card clearinghouse computer (1240) and/or the gas pump interact with the content management server (108) to request directed advertising for the customer. The content management server (108) complies by either providing directed content to the gas pump (1201) or by directing the gas pump (1201) to retrieve directed advertising content from a content server (110) also coupled to the communication link (1210).

The pump's physical address may be used in conjunction with the customer's identity to determine which advertisements or discounts to display on the pump's audio and video system (1220 and 1225). For example, if a shoe store is across the street and that particular customer purchased a pair of shoes there or at a co-branded store a predetermined time in the past; the pump may display an advertisement and/or a discount for shoes at that establishment. The predetermined time may be the average life span of a pair of shoes such that the customer gets the advertisement at the time his shoes have likely worn out.

Since the gas pump (1201) also has a printer (1235) to print receipts for the gas sale, the printer (1235) may also print a coupon for the discounted shoes. The printer (1235) may also print coupons for other retailers or for directions to any retailer.

In another embodiment, if the gas pump equipment is set up for

input by the customer, the customer may perform a purchase at the same time he is pumping gas. Different embodiments of such input devices include touch screen displays, miniature keypads, and other devices for entering data. This purchase may be for the delivery
5 of goods to his or her home, e.g., delivery of a pizza if the customer is on his or her way home, delivery of groceries, durable goods, etc.

Since the pump is coupled to the customer's information over the communication link (1210), it can verify the customer's
10 shipping address, allowing the customer to purchase an item and have it shipped to the address of record. The customer may be required to input a password or other means of verifying identity to prevent a stolen credit card from being used to obtain a customer's address.

15 The teachings of the present invention set forth in FIG. 12 are not limited to gas pumps. These teachings may be applied to cash machines, vending machines, coupon vending machines, and other machines that may identify a customer, interact with the content management server 108 and provide advertisements/marketing
20 materials to the customer.

FIG. 13 is a flowchart illustrating a process in accordance with FIG. 12 in which the customer is identified by the use of his credit card, such as the gas pump example described in FIG. 12. The process begins by the identification of the customer (step
25 1301). This process may be performed by the gas pump (1201), the

credit card clearinghouse computer (1240) or by other means. Once the customer's identity has been established, a query is sent to the content management server (step 1305). As an optional step, the customer may be asked for a password, PIN, or other means of
5 verifying the customer's identity (step 1310).

Once the customer has been properly identified, the content management server identifies the advertising content targeted to the customer. The content management server (108) either delivers the content or directs the gas pump (1201) to retrieve content from
10 the content server 110 (step 1312). The advertising content is then displayed to the customer (step 1315) on the audio/video system. If the system provides an input mechanism for the customer to act on the advertisements or offers for sales, the system then provides the proper responses (step 1320).

15 These acts include printing out coupons, closing a sale using the customer's already entered credit information, or shipping the ordered item to the chosen address. Additionally, the acts could include printing out directions to the nearest desired retailer.

In summary, the system and processes of the present invention
20 provide retailers with the ability to focus advertisements at customers based on the customer's spending habits and lifestyle. This provides multiple benefits for both the retailers and the customers.

The present invention saves the retailer money by avoiding the
25 spending of advertising dollars on someone who has no interest in

the retailer's product. The potential customer does not receive advertisements that are considered a nuisance to him or her. The present invention also pushes the customer/potential customer to a particular sales channel such as the physical store or an Internet address. The present invention, therefore, promotes a relaxed, low-pressure sales environment for both the customer/potential customer and the retailer.

FIG. 14 is a system diagram illustrating an alternate embodiment of a personalized content delivery system constructed according to the present invention in which content is accessed and delivered via separate networks. As shown, a system server group (207), a content management interface server (212), a client computer (216) running a browser (218), a client web server (220), a third party web server (222), and a content server (224) couple to a first network(s) (1402). A content server (1404) and an interworking function (1410) couple the first network(s) (1402) to a second network(s) (1404). A client content site (1406) also couples to the second network(s) (1404). In the illustrated embodiment, the first network(s) (1402) is a combination of data networks supporting a relatively lower data rate and a differing content mix than does the second network(s) (1404). One particular example of the first network(s) (1404) includes the Internet and a wireless data network. In this particular example, the second network(s) includes a cable television network.

In the system of FIG. 14, content is accessed via the first network(s) (1402) and delivered via the second network(s) (1404). In one operation, a web enabled telephone (241) operated by a user accesses client web server (220). PCDC is downloaded to the web enabled telephone (241), which, upon execution directs the web-enabled telephone (241) to content stored upon the client content site (1406). However, the web-enabled telephone (241) is incapable of receiving the content, streamed video. Thus, the web-enabled telephone (241), the system server group (207) and customer computer (226) running browser (228) interact so that the content is delivered from the client content site (1406) to the customer computer (226). In a particular operation of this type, the web-enabled telephone (241) initiates this alternate delivery scheme. However, in another embodiment, a prior registration with the system server group (207) results in the delivery of the content to the customer computer (226).

In a second operation according to the present invention, customer computer (1412) running browser (1414) couples to the first network(s) (1402) and accesses third party web server (222). PCDC downloaded from the third party web server (222) causes the customer computer (1412) to access the system server group (207). In response, based upon interaction between the customer computer (1412) and the system server group (207), the system server group (207) directs content from the client content site to be delivered to the customer via customer television (1418). The client content

site (1406) then delivers streamed video content via the second network(s) (1404) to the customer television (1418).

FIG. 15 is a system diagram illustrating another alternate embodiment of a personalized content delivery system constructed according to the present invention in which a first system server group services a single client and a second system server group services a plurality of clients. In the embodiment, a client system group (1528) includes a system server group (1522), a content management interface server (1524) and a personalization database (1526). The client system group (1528) couples to a private network (1504), both of which are operated by the client. A client computer (216) running browser (218), a third party web server (1514) and a client web server (1518) also couple to the private network (1504). The private network (1504) may be a service provider's, e.g., AOL, Earthlink, Prodigy, etc., the Intranet of a corporation, or another type of private network. A content server (1512) and a customer computer (1510) also couple to the private network (1504).

The private network (1504) couples to a public network (1502) via a firewall (1506). A client web server (1520), a third party web server (1516), a customer computer (1508) and a system server group (1524) also couple to the public network (1502). A personalization database (210) couples to the system server group (1524). Thus, as illustrated in FIG. 15, a client may operate its own system group (1528), acquiring the equipment, maintaining the

equipment and not relying upon a service provider. In this case, the client may collect its own customer data, segment its own customer data, and service all customer queries according to the present invention. Alternately, the client may receive segmented
5 data from a service provider, such as was illustrated in FIG. 11. The system group (1528) serves as an integrated solution for providing personalized content to its customer base.

FIG. 16 is a system diagram illustrating still another embodiment of a personalized content delivery system constructed
10 according to the present invention in which radio frequency (RF) watermarks are employed in delivering personalized content. In the system of FIG. 16, a client system group (1528) includes a system server group (1522), a content management interface server (1524) and a personalization database (1526). The client system group
15 (1528) couples to network(s) (1602). A client computer (216) running browser (218), a third party web server (1514) and a client web server (1518) also couple to the network(s) (1602). A content server (1512), a RF advertising server (1604), and a local area network (LAN) (1612) also couple to the network(s) (1602). A RF
20 transmitter (1606), operated by a RF broadcast station also couples to the RF advertising server (1604).

In an operation according to the present invention performed by the components illustrated in FIG. 16, the RF transmitter (1606) transmits programming, which includes RF watermarks. The RF
25 watermarks associate with the programming and allow for later

correlation with the programming. In an example of such RF watermark association, each commercial played by the radio station includes a particular RF watermark. A radio (1608) in a customer's car records the RF watermarks for programming received by the customer. The radio (1608) includes an interface unit (1610) that downloads the RF watermarks to a PDA (239), a web-enabled telephone (241) and/or a customer computer (226) operating browser (228). Such downloaded information may also include a description of the programming, a link to a corresponding web site, or other relevant information, if such description is also transmitted by the radio station via the RF transmitter (1606). In a typical operation, the radio (1608) stores a number, e.g., 25, of the most recent RF watermarks received. All or a portion of these RF watermarks may be downloaded to another customer device, e.g., customer computer (226).

The system of the present invention uses these watermarks to identify web sites corresponding to the RF watermarks. With the RF watermarks downloaded to another customer computer (226), the customer device, via interaction with the RF advertising server (1604) or another server, may identify a web site associated with the RF watermark. The customer then accesses this web site using the customer computer (226) and accesses the web site, e.g., at client web server 1518. Upon access, the customer computer (226) downloads PCDC, which it then executes to generate a query. Included in this query is the RF watermark received by the

customer. The client system group (1528), in responding to the customer query, uses the RF watermark to select personalized content for the customer. For example, the RF watermark may correspond to an advertisement that offered 20% off if responding
5 via the client web server (1518). By identifying the RF watermark as corresponding to the advertisement, the client system group (1528) may then automatically extend the 20% off offer to the responding customer. In another example, the RF watermark corresponds to an advertisement for particular goods. Thus, the
10 client system group (1528) uses the RF watermark to select content relating to the advertised goods.

The invention disclosed herein is susceptible to various modifications and alternative forms. Specific embodiments have been shown by way of example in the drawings and detailed
15 description. It should be understood, however, that the drawings and detailed description thereto are not intended to limit the invention to the particular form disclosed, but on the contrary, the invention is to cover all modifications, equivalents and alternatives falling within the spirit and scope of the present
20 invention as defined by the claims.

WE CLAIM:

1 1. A method for accumulating consumer sales transaction data
2 from a plurality of sales transaction sources for further use in
3 targeted advertising, the method comprising the steps of:

4 standardizing the consumer sales transaction data such that
5 the consumer sales transaction data conforms to a predetermined
6 format;

7 storing the standardized consumer sales transaction data on a
8 server comprising memory;

9 accumulating the standardized consumer sales transaction data
10 for each consumer such that a group of the consumer sales
11 transaction data relating to a specific consumer is assigned to
12 that consumer; and

13 segmenting the standardized consumer sales transaction data
14 such that a group of consumers can be defined by the group's
15 characteristics.

1 2. The method of claim 1 and further including the step of
2 cross referencing the standardized consumer sales transaction data
3 with consumer sales transaction data accumulated from the plurality
4 of sales transaction sources.

1 3. The method of claim 1 wherein the step of standardizing
2 includes grouping the consumer sales transaction data into a
3 plurality of data fields that are separated by delimiters.

1 4. The method of claim 3 wherein the data fields comprise a
2 field for a consumer's age, a field for the consumer's mailing
3 address, a field for the consumer's item of purchase, and a field
4 for the consumer's cost of purchase.

1 5. The method of claim 3 wherein the delimiters comprise
2 semicolons.

1 6. A system for the accumulation and segmentation of
2 consumer sales transaction data, the system comprising:

3 a plurality of transaction servers for storing consumer sales
4 transaction data from consumer sales transactions; and

5 a main database server, comprising memory, coupled to the
6 plurality of transaction servers and to the Internet, the main
7 database server additionally comprising an apparatus, coupled to
8 each transaction server, for downloading the consumer sales
9 transaction data from the plurality of transaction servers.

1 7. The system of claim 6 wherein the apparatus of
2 downloading comprises a dedicated data line to each of the
3 plurality of transaction servers.

1 8. The system of claim 6 wherein each of the plurality of
2 transaction servers is coupled to a modem having a connection to
3 the public switched telephone network.

1 9. The system of claim 8 wherein the apparatus of
2 downloading comprises a computer modem coupled to the public
3 switched telephone network.

1 10. The system of claim 6 wherein each of the transaction
2 servers is coupled to a satellite transceiver.

1 11. The system of claim 10 wherein the apparatus of
2 downloading comprises a satellite.

1 12. A method for the accumulation of consumer sales
2 transaction data, the system comprising a plurality of consumer
3 transaction servers and a main database server having memory, the
4 method comprising the steps of:

5 standardizing the consumer sales transaction data into a
6 predetermined format, thus generating standardized sales data;

7 storing the standardized sales data in the main database
8 server memory; and

9 accumulating the standardized sales data for each consumer
10 such that a group of the standardized sales data relating to a
11 specific consumer and gathered from at least one of the plurality
12 of consumer transaction servers is assigned to that consumer in the
13 form of a consumer data file.

1 13. The method of claim 12 wherein the main database server
2 memory comprises a hard drive.

1 14. The method of claim 12 wherein the main database server
2 memory comprises a tape drive.

1 15. The method of claim 12 and further including the step of
2 segmenting the standardized sales data for each consumer such that
3 a group of consumers can be defined by the group's characteristics.

1 16. The method of claim 12 wherein the step of standardizing
2 includes grouping the consumer sales transaction data into a series
3 of predefined data fields, each predefined data field being
4 separated from a preceding and a succeeding data field by a
5 delimiting character.

1 17. The method of claim 16 wherein the delimiting character
2 includes a semicolon and the predefined data fields include a data
3 field for the consumer's age, a data field for the consumer's
4 mailing address, a data field for the consumer's item of purchase,
5 a data field for the date of purchase, and a data field for the
6 consumer's price of purchase.

1 18. The method of claim 12 and further including the step of
2 the main database server downloading the consumer sales transaction
3 data from the plurality of consumer transaction servers over a
4 telephone line.


1 19. The method of claim 12 and further including the step of
2 the main database server downloading the consumer sales transaction
3 data from the plurality of consumer transaction servers over a
4 satellite system.

1 20. The method of claim 12 wherein the main database server
2 memory comprises a CDROM drive.

ABSTRACT OF THE DISCLOSURE

When a consumer performs a transaction at a store or mail order establishment, the data from the transaction is stored on the store's sales transaction server. This data is later downloaded to a main server where it is processed for further use. The processing includes standardizing the data format and cross-referencing data from all the various sales transaction servers to create an individual customer's file. The standardized data is later segmented for individual customers and/or groups of customers to whom advertising is directed.

(b)(1)
(b)(2)
(b)(3)
(b)(4)
(b)(5)
(b)(6)
(b)(7)
(b)(8)
(b)(9)
(b)(10)
(b)(11)
(b)(12)
(b)(13)
(b)(14)
(b)(15)
(b)(16)
(b)(17)
(b)(18)
(b)(19)
(b)(20)
(b)(21)
(b)(22)
(b)(23)
(b)(24)
(b)(25)
(b)(26)
(b)(27)
(b)(28)
(b)(29)
(b)(30)
(b)(31)
(b)(32)
(b)(33)
(b)(34)
(b)(35)
(b)(36)
(b)(37)
(b)(38)
(b)(39)
(b)(40)
(b)(41)
(b)(42)
(b)(43)
(b)(44)
(b)(45)
(b)(46)
(b)(47)
(b)(48)
(b)(49)
(b)(50)

**FIG. 1**

2/16




FIG. 2

3/16




FIG. 3

4/16





FIG. 4

**FIG. 5**




FIG. 6






FIG. 7

**FIG. 8**

**FIG. 9**

10/16




FIG. 10




FIG. 11




FIG. 12

13/16




FIG. 13




FIG. 14





FIG. 15

**FIG. 16**

Please Type a plus sign (+) inside this box

+

<p align="center">DECLARATION FOR UTILITY OR DESIGN PATENT APPLICATION (37 CFR 1.63)</p> <p><input checked="" type="checkbox"/> Declaration Submitted with Initial Filing OR <input type="checkbox"/> Declaration Submitted after initial Filing (surcharge (37 CFR 1.16(e)) required)</p>		Attorney Docket Number	Coremet-002
		First Named Inventor	Keith Henning
		COMPLETE IF KNOWN	
		Application Number	
		Filing Date	
		Group Art Unit	
		Examiner Name	

As a below named inventor, I hereby declare that:

My residence, post office address, and citizenship are as stated below next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

DATA ACCUMULATION AND SEGMENTATION SYSTEM IN ELECTRONIC COMMERCE

the specification of which

☒ is attached hereto
OR

☐ was filed on (MM/DD/YYYY) , as United States Application Number or PCT International Application Number and was amended on (MM/DD/YYYY) (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment specifically referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56.

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Copy Attached?	
			<input type="checkbox"/>	YES <input type="checkbox"/>	NO <input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
			<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


☐ Additional foreign application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto:

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s)	Filing Date (MM/DD/YYYY)	<input type="checkbox"/> Additional provisional application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto

DECLARATION - Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 35(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

U.S. Parent Application or PCT Parent Number 09/526,754		Parent Filing Date (MM/DD/YYYY) March 16, 2000		Parent Patent Number (if applicable)	
<input type="checkbox"/> Additional U.S. or PCT international application numbers are listed on a supplemental priority data sheet PTO/SB/02B attached hereto.					
As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith:					
<input type="checkbox"/> Customer Number OR <input checked="" type="checkbox"/> Registered practitioner(s) name/registration number listed below					
Name	Registration Number	Name	Registration Number		
Bruce E. Garlick	36,520				
James A. Harrison	40,401				
Jeff Toler	38,342				
<input type="checkbox"/> Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.					
Direct all correspondence to: <input type="checkbox"/> Customer Number or Bar Code Label OR <input checked="" type="checkbox"/> Correspondence address below					
Name	Bruce E. Garlick				
Address	Garlick & Harrison				
Address	P.O. Box 591				
City	Spicewood	State	TX	Zip	78669-0591
Country	US	Telephone	(612) 254-8816	Fax	(512) 254-3735
I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.					
Name of Sole or First Inventor: <input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle (if any))			Family Name or Surname		
Keith			Henning		
Inventor's Signature				Date	10/3/00
Residence: City	Austin	State	TX	Country	US
Post Office Address	105 Crest View Dr.				
Post Office Address					
City	Austin	State	TX	Zip	78734
Country	US				
Name of Additional Joint Inventor, if any: <input type="checkbox"/> A petition has been filed for this unsigned inventor					
Given Name (first and middle (if any))			Family Name or Surname		
Brett A.			Hurt		
Inventor's Signature				Date	
Residence: City	San Francisco	State	CA	Country	US
Post Office Address	1560 Beach St., #304				
Post Office Address					
City	San Francisco	State	CA	Zip	94123
Country	US				

DECLARATION - Utility or Design Patent Application

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT International application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application.

U.S. Parent Application or PCT Parent Number 09/526,754	Parent Filing Date (MM/DD/YYYY) March 16, 2000	Parent Patent Number (if applicable)

☐ Additional U.S. or PCT international application numbers are filed on a supplemental priority data sheet PTO/SR/02B attached hereto. As a named inventor, I hereby appoint the following registered practitioner(s) to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: ☐ Customer Number OR ☒ Registered practitioner(s) name/registration number listed below

Name	Registration Number	Name	Registration Number
Bruce E. Garlick	36,520		
James A. Harrison	40,401		
Jeff Toler	38,342		


☐ Additional registered practitioner(s) named on supplemental Registered Practitioner Information sheet PTO/SB/02C attached hereto.

Direct all correspondence to: ☐ Customer Number or Bar Code Label OR ☒ Correspondence address below

Name	Bruce E. Garlick		
Address	Garlick & Harrison		
Address	P.O. Box 691		
City	Spicerwood	State	TX
Country	US	Telephone	(512) 264-8816
		Fax	(512) 264-3735

I hereby declare that all statements made herein of any own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under 18 U.S.C. 1001 and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Name of Sole or First Inventor:	<input type="checkbox"/> A petition has been filed for this unsigned inventor		
Given Name (first and middle (if any))	Family Name or Surname		
Keith	Henning		
Inventor's Signature			Date
Residence: City	Austin	State	TX
Post Office Address	106 Crest View Dr.		
Post Office Address			
City	Austin	State	TX
		Zip	78734
Name of Additional Joint Inventor, if any:			Country
			US

Given Name (first and middle (if any))	Family Name or Surname		
Brett A.	Hurt		
Inventor's Signature			Date
Residence: City	San Francisco	State	CA
Post Office Address	1580 Beach St., #304		
Post Office Address			
City	San Francisco	State	CA
		Zip	94123
		Country	US